



IN-BUILDING DAS SOLUTION



TELENETWORKS



DAS - Santo Domingo International Airport

Objectives:

- *DELIVER WCDMA AND MIMO LTE CELLULAR COVERAGE IN BASEMENT AND THREE MAIN FLOORS AT THE LAS AMERICAS INTERNATIONAL AIRPORT*

Mínimum Coverage Values:

- Overall Coverage Area: => 95%
- RSCP: => -85dBm
- Ec/Io: => -11dBm
- RSRP: => -101dBm
- RSRQ: => -13dBm



DAS - Santo Domingo International Airport


Equipment Configuration

- **Manufacturera:** COMBA TELECOM
- Model:** COMPLEX TRI-BAND
- Technologies:** GSM, WCDMA 850, MIMO LTE AWS
- Master Units:** QTY 3
- Remote Units:** QTY 12, 5 WATTS
- No of Antennas:** 99



IN-BUILDING DAS SOLUTION


■ ANTENNAS: 1st.. FLOOR



IN-BUILDING DAS SOLUTION




■ **ANTENNAS: 3rd. FLOOR**



IN-BUILDING DAS SOLUTION

■ ANTENNAS: Basement





Contacting TeleNetworks

Providing Solutions to Your Requirements



■ Puerto Rico

Tel: 1-(787) 766-2829

Email: sales@telenetworks.net



■ Dominican Republic

Tel: 1-(809) 687-0612

Email: sales@telenetworks.net

